

Preventing Serenji routines from being deleted by a Caché or Ensemble upgrade

04/29/2024 23:10:27

[FAQ Article Print](#)

Category:	Products::Serenji	Votes:	0
State:	public (all)	Result:	0.0 %
		Last update:	13:19:39 - 01/12/2011

Keywords

Caché Ensemble

Symptom (public)

After upgrading Caché or Ensemble your Serenji support routines are no longer present.

Problem (public)

Serenji's support routines are named %Serenj*. Prior to Caché 5.1 the simplest way to make them accessible to all namespaces is to load them into the %SYS namespace. However, a Caché update will delete all %-routines from here apart from those beginning %Z*. You must then reload the Serenji support routines.

Solution (public)

This procedure is also recommended when installing the support routines on Caché 5.1 or later. For more information about this case see the linked FAQ.

- Create a local database that will hold the Serenji support routines. In this example we call it SERENJI.
- Create a namespace that uses this database as the default location for its routines. In this example we also call the namespace SERENJI.
- Define a routine mapping for the SERENJI namespace, directing it to fetch %Serenj* from the SERENJI database.
- Load the OBJ-only Serenji support routines into the SERENJI namespace from either CACHE5.OBJ (Caché 5.0 or later) or CACHE.OBJ (prior to Caché 5.0).
- Selectively restore from CACHE.RSA into the SERENJI namespace, choosing %Serenj* routines. Alternatively, load all routines but ignore errors reported on non-%Serenj* routines.
- Repeat the previous step, restoring the non-%Serenj* routines into the %SYS namespace.
- For each namespace that you want to use Serenji in, define a routine mapping that directs the namespace to fetch %Serenj* from the SERENJI database.
- If desired, delete the SERENJI namespace, which only needed to exist in order to load the support routines into the associated SERENJI database. Do not remove the database.